

# Technical Data Sheet

CODE 11569

QE-B I K90 S 2L

Centrifugal duct fans




Certifications

## TECHNICAL AND PERFORMANCE DATA

Nominal Diameter (mm)	80	Weight (Kg)	3,07
-----------------------	----	-------------	------

## DIMENSIONS



Size A (mm)	285
Size B (mm)	285
Size C (mm)	131,5
Size D (mm)	60
Size E (mm)	Ø 73
Size F (mm)	Ø 79
Size G (mm)	71,5
Size H (mm)	106
Size I (mm)	67

### PER INFORMAZIONI:

Servizio al Cliente: tel +39 02 90699395 premendo 1 dopo messaggio registrato (consulenza su prodotti e impianti)

Pre & Post Vendita: fax +39 02 90699302

Email prevendita: [prevendita@vortice-italy.com](mailto:prevendita@vortice-italy.com)

# Technical Data Sheet

CODE 11569

## QE-B I K90 S 2L

Centrifugal duct fans



### DESCRIPTION

- Refractory fireproof K90 casing for recessed installation and main top side discharge.
- Stainless steel spigot, integrating the K90 fireproof valve, TUM certified according to DIN 18017-3.
- Backdraught shutter compliant with DIN 18017-3, as certified by TUV German Institute.
- Spigot nominal diameter: 80 mm.
- Square frame to prevent entry of dirt and plaster.
- Stainless steel spigot, on the left side, able to extract air from a second room.


### ACCESSORIES



**QE-SRK**  
Code 24129



**QE-FBA**  
Code 24183



**QE-CFR**  
Code 24229



**QE-SPF**  
Code 21101



**SAWG**  
Code 21119



**SABG**  
Code 21120



**AVR 100**  
Code 21121



**AVR 125**  
Code 21122



**AVR 140**  
Code 21123



**AVR 160**  
Code 21124



**AVR 180**  
Code 21125



**AVR 200**  
Code 21126




**MDV 100**



**ADV 100**



**MSDV 100**



**ASDV 100**  
de 21130

PER INFORMAZIONI:

Servizio al Cliente: tel +39 02 90699395 premendo 1 dopo messaggio registrato (consulenza su prodotti e impianti)

Pre & Post Vendita: fax +39 02 90699302

Email prevendita: [prevendita@vortice-italy.com](mailto:prevendita@vortice-italy.com)





**3SS-D**  
Code 21132



**2SS-I**  
Code 21133



**3SS-I**  
Code 21134