

NEW

DEUMIDO ELECTRONIC E10-E20

Portable dehumidifiers



VENTILATION
AIR CONDITIONING
AIR CLEANING
HEATING





DEUMIDO ELECTRONIC

Automatically CONTROLLING



You can now take control of your humidity and damp problems through automatic control. Do you suffer from running water, mold, or damage to décor and furniture caused by excess humidity? You no longer need to put up with the effects of excess humidity.

■ ANTI-FROST DEVICE

The unit is fitted with a frost thermostat which will automatically turn off the unit when the ambient temperature falls below 5°C.

■ EMPTYING

THE CONDENSATE CONTAINER

When the container is full Deumido Electronic turns off automatically and an indicator light on the control panel comes on. The light will stay on and the unit switched off until the empty container is placed correctly back in the unit.

■ CONTINUOUS DRAINAGE FACILITY

Deumido Electronic E10-E20 are supplied with an integral condensate collecting container which has to be emptied on a regular basis. However it can also be connected to a 12 mm diameter discharge tube, this enables continuous drainage of the condensate to a convenient outlet.

PRODUCT SPECIFICATIONS

- 2 models:
DEUMIDO ELECTRONIC E10
DEUMIDO ELECTRONIC E20.
- Electronic dehumidifiers with digital display.
- 2 speeds.
- The humidity threshold can be set by the user by pressing the dedicated HUM key (50%, 60%, 70%, 80%, continuous).
- Exclusive design control panel.
- Castor wheels and side handles make it easy to move from one room to another.
- 24h timer.
- Full tank alert with warning light and buzzer.
- Removable tank 3.6 l (E10), 5.5 l (E20).
- Washable air filter.
- Active carbon filter.
- Anti-freeze thermostat.



**DEUMIDO
ELECTRONIC E10**
Code 26010

TRONIC E10-E20

CONDENSATION and DAMP

Control of condensation
about your home or premises.
Large windows, mould growth,
or aggravated health problems?
Water damage and potential health problems
from excessive condensation and damp.

■ AIR FILTRATION

Deumido Electronic E10-E20 are not just reducing the humidity level, they also improve the quality of the indoor environment. They are equipped with a dust filter and an activated carbon filter to help the removing of odours. The filters are easily accessible for cleaning and replacement.

■ COMPACT AND STYLISH DESIGN

They are constructed in ABS thermoplastic resin, which provides a shockproof and rugged product. The compactness and stylish line blends in any room décor.

■ ENERGY SAVING

Deumido Electronic E10-E20 switch on automatically when the relative humidity reaches the selected level and switch off when the desired environmental conditions are attained.



- Electronic dehumidifiers with digital display.

- Exclusive design panel.



**DEUMIDO
ELECTRONIC E20**

Code 26011

KEY FEATURES

- Elegant design.
- Silent operation.
- Easy to move thanks to wheels and side handles.
- Low environmental impact (coolant gas R 134A).
- Easy to use.
- Adjustable fin to direct the dehumidified air upwards: useful for drying clothes (E 20).

Deumido Electronic E10-E20

To get rid of condensation and damp in:


- bathrooms
- kitchens
- living rooms
- utility rooms
- bedrooms
- cellars
- laundries
- bars
- studios
- libraries
- archives
- computer
- storerooms




DIMENSIONS

Models	Code	A	B	C	Kg
DEUMIDO ELECTRONIC E10	26010	330	522	247	11
DEUMIDO ELECTRONIC E20	26011	410	545	210	12.5

Dimensions (mm)



Deumido Electronic E10



Deumido Electronic E20

TECHNICAL DATA

Models	Code	V-50Hz	W	A	Recommended room size (m ³)	humidity (l/day)*	Lp dB (A) 3 m		Temp. Range (°C)	Refrig. Load (g)	Tank Cap. (l)	Insulation
							min	max				
DEUMIDO ELECTRONIC E10	26010	230/240	250	1.44	60-120	10	35	37	5°-35°	100	3.6	⊕
DEUMIDO ELECTRONIC E20	26011	230/240	370	1.7	100-220	20	39.9	42	5°-35°	200	5.5	⊕

*at 30°C and 80% RH.

ACCESSORIES

Models	Code	Deumido Electronic E10	Deumido Electronic E20
ACTIVE FILTER CARBON (6 PCS. INCLUDED)	26010	22494	-
ACTIVE FILTER CARBON (6 PCS. INCLUDED)	26011	-	22495

Code 5.170.084.714

07/11

Vortice Elettrosociali S.p.A
Strada Cerca, 2
Frazione di Zoate
20067 Tribiano (Milano)
Tel. (+39) 02 906991
Fax (+39) 02 90699314
Italia
www.vortice-export.com
export@vortice-italy.com

Vortice France
15-33, Rue Le Corbusier
CS 30007
94046 Creteil Cedex
Tél. (+33) 1.55.12.50.00
Fax (+33) 1.55.12.50.01
France
www.vortice-france.com
contact@vortice-france.com

Vortice Limited
Beeches House-Eastern Avenue
Burton on Trent
DE13 0BB
Tel. (+44) 1283-49.29.49
Fax (+44) 1283-54.41.21
United Kingdom
www.vortice.ltd.uk
sales@vortice.ltd.uk

