


[← BACK](#)

CODE 61061

# NORDIK ECO 120/48"

Energy saving and reversible ceiling fans

- [→ Description](#)
- [→ Certifications](#)
- [→ Technical Data Sheet](#)
- [→ Accessories](#)

[DOCUMENTATION](#)[other images](#) 

[PRODUCTS](#) > [SUMMER VENTILATION](#) > [CEILING FANS](#) > [RESIDENTIAL](#)

## Description

- Nominal diameter of blades 1200 mm.
- Cups and motor covers molded in heat-resistant polymer (ASA), matt white (RAL9016).
- EC (brushless) motor with shaft turning in ball bearings, reversible function, able to grant high performance throughout the operating range. Integrated motor driver.
- 3 powder coated sheet steel blades, matt white (RAL9016).
- Powder coated steel ceiling rod, matt white (RAL9016).
- Accessories bag containing fixing bolts for blades, ceiling hook and rubber anti-vibration washer.
- Possibility of speed regulation by potentiometer or IR remote control

[Read full description](#)

## Certifications



IMQ



CE





# Technical Data Sheet

Technical and performance data    Dimensions

Absorbed Current max (A)	0,29	Weight (Kg)	7,8
Absorbed Power max (W)	30	Airflow speed at max speed (m/s)	2,41
Blades diameter	1218	Delivery max (m <sup>3</sup> /h)	14100
Frequency (Hz)	50	Delivery max (m <sup>3</sup> /min)	235
Insulation Class	I°	RPM	235
Max ambient temperature for continuous operation (°C)	45	Service value (m <sup>3</sup> /min)/W	7,833
Voltage (V)	220-240	Sound power level Lw [dB(A)]	52,1

## Interested?

If you are interested in this product, contact us or locate your nearest Vortice dealer.

[CONTACT US](#)

## Documentation

You can see all the documentation relating to this product: price list, information booklet and wiring diagram.

[DOCUMENTATION](#)



# Accessories

Discover accessories related to the product



[NKE ROD 160](#)

[Go to data sheet](#) →



[NKE ROD 290](#)

[Go to data sheet](#) →



[NKE ROD 665](#)

[Go to data sheet](#) →



[NKE ROD 915](#)

[Go to data sheet](#) →

[Find distributor](#) →

[Register for the Newsletter](#) →

[Contact us](#) →

[Work with us](#) [Technical area](#) [Privacy](#) [Sitemap](#)

### Select country:

[International](#) [Italy](#) [United Kingdom](#) [China](#) [Latam](#)