

[← BACK](#)

CODE 61751

# NORDIK EVOLUTION R 120/48" BIANCO

Reversible ceiling fans

[→ Description](#)[→ Certifications](#)[→ Technical Data Sheet](#)[→ Accessories](#)

DOCUMENTATION

[PRODUCTS](#) > [SUMMER VENTILATION](#) > [CEILING FANS](#) > [RESIDENTIAL](#)

## Description

- Nominal diameter of blades 1200 mm
- Top and bottom motor covers moulded from heat-resistant and UV-resistant thermoplastic resin (ABS), colour white.
- Wiring connections at end of ceiling rod concealed by domes moulded from impact- and UV-resistant thermoplastic resin (PP).
- Single phase start capacitor motor with external rotor, and shaft turning in ball bearings. Direction of rotation reversible.
- Maximum air flow 13810 m<sup>3</sup>/h
- 3 galvanized sheet steel blades powder coated with scratch-resistant polyester, colour white.
- Steel ceiling rod with scratch-resistant polyester powder coated finish,

## Certifications



IMQ



CE



EAC

[Read full description](#)



## Technical Data Sheet

Technical and performance data    Dimensions

Absorbed Current max (A)	0,34	Weight (Kg)	7,1
Absorbed Power max (W)	70	Airflow speed at max speed (m/s)	2,36
Blades diameter	1284	Delivery max (m <sup>3</sup> /h)	13810
Frequency (Hz)	50	Delivery max (m <sup>3</sup> /min)	230,17
Insulation Class	I°	RPM	198
Voltage (V)	220-240	Service value (m <sup>3</sup> /min)/W	3,288
		Sound power level Lw [dB(A)]	49,1

# Interested?

If you are interested in this product, contact us or locate your nearest Vortice dealer.

[CONTACT US](#)

# Documentation

You can see all the documentation relating to this product: price list, information booklet and wiring diagram.

[DOCUMENTATION](#)



# Accessories

Discover accessories related to the product



## ASTA NK I 200 BIANCA

• NK I 200 White Rod to enable installation at desired height.

[Go to data sheet](#) →



## ASTA NK I 250 BIANCA

• NK I 250 White Rod to enable installation at desired height.

[Go to data sheet](#) →



## ASTA NK I 350 BIANCA

• NK 350 I White Rod to enable installation at desired height.

[Go to data sheet](#) →



## ASTA NK I 500 BIANCA

• NK I 500 White Rod enable installation at desired height.

[Go to data sheet](#) →



















[Find distributor](#)



[Register for the Newsletter](#)

[Contact us](#)



---

[Work with us](#) [Technical area](#) [Privacy](#) [Sitemap](#)

**Select country:**

[International](#) [Italy](#) [United Kingdom](#) [China](#) [Latam](#)

---