

Cookies help us to provide our services. By using these services, you accept our use of cookies. [Info](#)

[←](#) BACK

CODE 61001

NORDIK 1S/L 90/36 SENZA GR.COM.

Ceiling fans with or without light



- [→ Description](#) [→ Certifications](#)
- [→ Technical Data Sheet](#) [→ Accessories](#)

DOCUMENTATION



[PRODUCTS](#) > [SUMMER VENTILATION](#) > [CEILING FANS](#) > [RESIDENTIAL](#)

Description

- Top and bottom motor covers moulded from heat-resistant and UV-resistant thermoplastic resin (ABS), colour white
- Wiring connections at end of ceiling rod concealed by domes moulded from impact- and UV-resistant PP, colour white.
- Nominal diameter of blades 900 mm.
- Single phase start capacitor motor with external rotor, and shaft turning in ball bearings.
- Maximum air flow 8,730 m³/h
- 3 galvanized sheet steel blades powder coated with scratch-resistant polyester, colour white
- Steel ceiling rod with polyester powder coated finish, colour white,

[Read full description](#)

Certifications



IMQ



CE



EAC



Technical Data Sheet

Technical and performance data Dimensions

Absorbed Current max (A)	0,725	Weight (Kg)	6,3
Absorbed Power max (W)	175	Airflow speed at max speed (m/s)	2,65
Blades diameter	90	Delivery max (m ³ /h)	8730
Frequency (Hz)	50	Delivery max (m ³ /min)	145,50
Insulation Class	I°	RPM	235
Voltage (V)	220-240	Service value (m ³ /min)/W	0,661
		Sound power level Lw [dB(A)]	44,9

Interested?

Documentation

If you are interested in this product, contact us or locate your nearest Vortice dealer.

You can see all the documentation relating to this product: price list, information booklet and wiring diagram.

[CONTACT US](#)

[DOCUMENTATION](#)



Accessories

Discover accessories related to the product



SCNRL5 UNIF. X NK SOFFITTO

• 5-position speed controller for ceiling-mounted fans with light.

[Go to data sheet](#) →



ASTA NK 200 BIANCA

• NK 200 White Rod to enable installation at desired height.

[Go to data sheet](#) →



ASTA NK 275 BIANCA

• NK 275 White Rod to enable installation at desired height.

[Go to data sheet](#) →



ASTA NK 350 BIANCA

• NK 350 White Rod to enable installation at desired height.

[Go to data sheet](#) →

[Find distributor](#) →

[Register for the Newsletter](#) →

[Contact us](#) →

[Work with us](#) [Technical area](#) [Privacy](#) [Sitemap](#)

Select country:

[International](#) [Italy](#) [United Kingdom](#) [China](#) [Latam](#)

© 2020 Vortice - All Rights Reserved - P.iva IT04474410968

Websolute